

Turkey's Leading Minibar Manufacturer since 1954



Index



With being **the first minibar manufacturer** in Turkey, Elektromarla has determined its policy to maintain its leading position in the sector and to provide customer satisfaction-oriented service.

Pioneer in the industry

Since 1954, Elektromarla has been the first "minibar factory" and the first company that imported and exported minibars in Turkey. Elektromarla has been a pioneer in the industry since its foundation and specialized in the field of absorption system for 70 years which is the solution partner for hotels, hospitals, yachts, and caravans.

Product variety & quality

Elektromarla, which has been carved in memory with its product variety and quality in the hotel equipments sector, always works with customer satisfaction oriented focus during its production. Elektromarla, which is preferred by the hotels and hospitals of the highest quality in the sector, develops itself on an international vision by minibar design and production.

Pleased and proud to have become a world brand with our **customer satisfaction**, **innovative design & high quality production** as Elektromarla.

Our Highlights



Customer Focus

Prioritize providing valuable services to our customers.



Eco-friendly products

Reduce the electricity consumption.



High-quality

Proof of our 70 years of experience.



Local Production

Based and Manufactured in Istanbul, Turkey.

































































ABSORPTION MINIBAR

Elektromarla Absorption System Minibars do not disturb your hotel guests through unpleasant sounds. It is maintenance free due to its advanced engineering technology.

DR 35 S DRC 35 S 35 Liter Solid Door Hotel Minibar 35 Liter Glass Door Hotel Minibar ADJUSTABLE SHELVES ADJUSTABLE COMPLETELY SILENT **COMPLETELY SILENT** SHÉLVES LED INTERIOR LIGHTNING (OPTIONAL) LED INTERIOR LIGHTNING (OPTIONAL) Dimensions (W x D x H) 38.5 x 44 x 53.5 cm Dimensions (W x D x H) 38.5 x 43 x 53.5 cm Weight 12.6 kg Weight 14.6 kg Capacity 35 liters Capacity 35 liters 220 - 240 V 220 - 240 V Voltage Voltage 65 W Power 65 W **Power Energy Consumption** 0.90 kWh / 24h 0.90 kWh / 24h **Energy Consumption Refrigerant Gas** NH3 **Refrigerant Gas** NH3 **Noise Level** 0 dB **Noise Level** 0 dB Type of Cooling Absorption Type of Cooling Absorption **Container Loading Capacity Container Loading Capacity** 108 / 390 108 / 390 20' / 40' without Pallets 20' / 40' without Pallets

DR 40 S DRC 40 S 40 Liter Solid Door Hotel Minibar 40 Liter Glass Door Hotel Minibar **ADJUSTABLE COMPLETELY SILENT ADJUSTABLE COMPLETELY SILENT SHÉLVES** SHELVES **LED INTERIOR** LED INTERIOR LIGHTNING (OPTIONAL) LIGHTNING (OPTIONAL) 40.5 x 42 x 52.5 cm 40.5 x 43.5 x 52.5 cm Dimensions (W x D x H) Dimensions ($W \times D \times H$) 15.2 kg Weight Weight 12.2 kg 40 liters 40 liters Capacity Capacity Voltage 220 - 240 V Voltage 220 - 240 V Power 65 W **Power** 65 W **Energy Consumption** 0.90 kWh / 24h **Energy Consumption** 0.90 kWh / 24h **Refrigerant Gas Refrigerant Gas** NH3 NH3 **Noise Level** 0 dB **Noise Level** 0 dB Type of Cooling Type of Cooling Absorption Absorption **Container Loading Capacity Container Loading Capacity** 240 / 500 240 / 500 20' / 40' without Pallets 20' / 40' without Pallets

DR 4	15 S	DRC	45 S
45 Liter Solid Door Hotel Minibar		45 Liter Glass Do	oor Hotel Minibar
ADJUSTABLE SHELVES LED INTE	COMPLETELY SILENT ERIOR NG (OPTIONAL)	ADJUSTABLE SHELVES LED INTE	COMPLETELY SILENT ERIOR NG (OPTIONAL)
Dimensions (W x D x H)	40.5 x 47.5 x 57 cm	Dimensions (W x D x H)	40.5 x 48.5 x 57 cm
Weight	13.4 kg	Weight	15.8 kg
Capacity	45 liters	Capacity	45 liters
Voltage	220 - 240 V	Voltage	220 - 240 V
Power	65 W	Power	65 W
Energy Consumption	1.00 kWh / 24h	Energy Consumption	1.00 kWh / 24h
Refrigerant Gas	NH3	Refrigerant Gas	NH3
Noise Level	0 dB	Noise Level	0 dB
Type of Cooling	Absorption	Type of Cooling	Absorption
Container Loading Capacity 20' / 40' without Pallets	162 / 330	Container Loading Capacity 20' / 40' without Pallets	162 / 330

ABSORPTION MINIBAR All Black Edition

DRC 35 S ALL BLACK EDITION

35 Liter Glass Door Hotel Minibar	Dimensions (W x D x H)	38.5 x 44 x 53.5 cm
ADJUSTABLE COMPLETELY SILENT LED INTERIOR LIGHTNING	Weight	14.6 kg
	Capacity	35 liters
THE TAX STATE OF THE STATE OF T	Voltage	220 - 240 V
TOBLEROUS	Power	65 W
	Energy Consumption	0.90 kWh / 24h
	Refrigerant Gas	NH3
TOBLERONE	Noise Level	0 dB
	Type of Cooling	Absorption
	Container Loading Capacity 20' / 40' without Pallets	108 / 390


DRC 45 S ALL BLACK EDITION




Perfect INSTALLATION


All miniBar - miniRefrigerators can be integrated into suitable furniture. But it is important to provide appropriate ventilation. The air intake and exhaust openings must be at least 300 cm² each. It is essential to make sure that the ventilation screen cannot be closed or covered.


<u>IMPORTANT:</u> Absorption system miniBars do not function optimally if the room temperature is over 32°C. The ideal room temperature should be between 20°C - 25°C. Climatized environment is recommended.



Correct Installations







INVERTER MINIBAR

Since it is an inverter compressor, it reduces the minibar electricity costs by 90%. Inverter Compressor Minibars work with 26-29 dB sound level (which is a very low level of noise) and provide much better cooling in hot outdoor environments compared to Absorption System Minibars.

A+++ The World's Least Electricity Consuming Minibar

INV-M40		INV-MC40	
40 Liter Solid Doo	40 Liter Solid Door Inverter Minibar		or Inverter Minibar
LED INTE	ERIOR LIGHTNING	LED INTE	ERIOR LIGHTNING
ECO FRIENDLY	ADJUSTABLE SHELVES	ECO FRIENDLY	ADJUSTABLE SHELVES
Dimensions (W x D x H)	40.5 x 43.5 x 52.5 cm	Dimensions (W x D x H)	40.5 x 44.5 x 52.5 cm
Weight	14.3 kg	Weight	17.4 kg
Capacity	40 liters	Capacity	40 liters
Voltage	220 - 240 V	Voltage	220 - 240 V
Power	65 W	Power	65 W
Energy Consumption	0.15 kWh / 24h (A+++)	Energy Consumption 0.20 kWh / 24h (
Refrigerant	R600	Refrigerant Gas	R600
Noise Level	26-29 dB	Noise Level	26-29 dB
Type of Cooling	Inverter Compressor	Type of Cooling	Inverter Compressor
Container Loading Capacity 20' / 40' without Pallets	165 / 360	Container Loading Capacity 20' / 40' without Pallets	165 / 360

INV-M45 INV-MC45 45 Liter Solid Door Inverter Minibar 45 Liter Glass Door Inverter Minibar LED INTERIOR LIGHTNING LED INTERIOR LIGHTNING ADJUSTABLE SHELVES **ADJUSTABLE ECO FRIENDLY ECO FRIENDLY** SHELVES $40.5 \times 48.5 \times 57 \text{ cm}$ Dimensions (W x D x H) Dimensions (W x D x H) 40.5 x 49.5 x 57 cm Weight Weight 16 kg 18.5 kg Capacity 45 liters Capacity 45 liters 220 - 240 V 220 - 240 V Voltage Voltage 65 W Power 65 W **Power Energy Consumption Energy Consumption** 0.20 kWh / 24h (A+++) 0.15 kWh / 24h (A+++) Refrigerant R600 **Refrigerant Gas** R600 **Noise Level** 26-29 dB **Noise Level** 26-29 dB Type of Cooling Inverter Compressor Type of Cooling Inverter Compressor **Container Loading Capacity Container Loading Capacity** 162/330 162/330 20' / 40' without Pallets 20' / 40' without Pallets

INVERTER MINIBAR

All Black Edition

INV-MC40 ALL BLACK EDITION

40 Liter Glass Door Hotel Minibar	Dimensions (W x D x H)	40.5 x 44.5 x 52.5 cm
ADJUSTABLE SHELVES ECO-FRIENDLY LED INTERIOR LIGHTNING	Weight	17.4 kg
	Capacity	40 liters
3 3 703	Voltage	220 - 240 V
	Power	65 W
	Energy Consumption	0.13 kWh / 24h (A+++)
	Refrigerant Gas	R600
	Noise Level	26-29 dB
	Type of Cooling	Inverter Compressor
	Container Loading Capacity 20' / 40' without Pallets	165 / 360

INV-MC45 ALL BLACK EDITION

45 Liter Glass Door Hotel Minibar	Dimensions (W x D x H)	40.5 x 49.5 x 57 cm
ADJUSTABLE SHELVES ECO-FRIENDLY (LED INTERIOR LIGHTNING	Weight	18.5 kg
	Capacity	45 liters
	Voltage	220 - 240 V
	Power	65 W
	Energy Consumption	0.13 kWh / 24h (A+++)
	Refrigerant Gas	R600
	Noise Level	26 - 29 dB
	Type of Cooling	Inverter Compressor
	Container Loading Capacity 20' / 40' without Pallets	162 / 330

THERMOELECTRIC PELTIER MINIBAR

Thermoelectric Peltier Minibar provides **completely silent cooling (O dB) without any vibrations and any noise.** On the other hand, Peltier model minibars are significant in terms of **saving 70% less energy** when compared to Absorption System Minibars.

PEL 4	40 S	PEL 4	10 CS
40 Liter Solid Door Pe	eltier System Minibar	40 Liter Glass Door Peltier System Minit	
ADJUSTABLE SHELVES ECO FRIENDLY	COMPLETELY SILENT LED INTERIOR LIGHTNING (OPTIONAL)	ADJUSTABLE SHELVES ECO FRIENDLY	COMPLETELY SILENT LED INTERIOR LIGHTNING (OPTIONAL)
Dimensions (W x D x H)	40.5 x 43 x 52.5 cm	Dimensions (W x D x H)	40.5 x 44.5 x 52.5 cm
Weight	15 kg	Weight	15 kg
Capacity	40 liters	Capacity	40 liters
Voltage	12 V	Voltage	12 V
Power	60 W	Power	60 W
Energy Consumption	0.275 kWh / 24h	Energy Consumption	0.375 kWh / 24h
Refrigerant	R600	Refrigerant Gas	R600
Noise Level	0 dB	Noise Level	0 dB
Type of Cooling	Peltier	Type of Cooling	Peltier
Container Loading Capacity 20' / 40' without Pallets	165 / 360	Container Loading Capacity 20' / 40' without Pallets	165 / 360

PEL 45 S PEL 45 CS 45 Liter Solid Door Peltier System Minibar 45 Liter Glass Door Peltier System Minibar **ADJUSTABLE ADJUSTABLE COMPLETELY SILENT COMPLETELY SILENT** SHÉLVES **SHÉLVES LED INTERIOR LED INTERIOR** ECO FRIENDLY **ECO FRIENDLY** LIGHTNING (OPTIONAL) LIGHTNING (OPTIONAL) $40.5 \times 48.5 \times 57 \text{ cm}$ Dimensions (W x D x H) Dimensions (W x D x H) 40.5 x 48.5 x 57 cm Weight Weight 16 kg 16 kg 45 liters Capacity Capacity 45 liters 12 V Voltage 12 V Voltage 60 W Power 60 W **Power Energy Consumption** 0.395 kWh / 24h **Energy Consumption** 0.295 kWh / 24h Refrigerant R600 R600 **Refrigerant Gas Noise Level** 0 dB **Noise Level** 0 dB Type of Cooling Peltier Type of Cooling Peltier **Container Loading Capacity Container Loading Capacity** 162/330 162/330 20' / 40' without Pallets 20' / 40' without Pallets

Absorption

System

Absorption Minibars are noiseless and vibrationless minibars which is the biggest reason that they are preferred by the hotels and hospitals. In this system, there is no mechanical equipment is used so it is completely silent and vibration free. Absorption System Minibars can cool between +4 to +14 degrees at ambient temperatures of +16 to +32 degrees. The cooling performance is calculated with DELTA-T constant value.



The Inverter Compressor System Minibars works with a BLDC motor and it has an algorithm that detects the need for cooling. The biggest advantage of this system is its very low electricity consumption. This system has A+++ energy label. Inverter System Minibars provide 90% less electricity consumption than Absorption System Minibars. The compressor makes 26 dB noise during start-stops, which is a very low level of noise and accepted by hotels.

Termoelectric Peltier System

Thermoelectic Peltier Minibar provides completely silent cooling (0 dB) without any vibrations since they do not have any compressors nor fans. They are also remarkable in terms of saving 70% less energy with their high technical performance when compared to Absorption System Minibars.

HOTEL SAFES

Hotel safes provide best protection against the treat of unforeseeable burglary attack. They are built to accommodate the most commonly stored items with ease, such as laptops, hard drives & jewellery.

DR1219



Model	Features	Outer Dimensions	Weight
DR1219M	Mini Size Electronic Safe	200 x 310 x 200 mm	7 kg
DR1219	Standard Size Electronic Safe	225 x 360 x 250 mm	10 kg
DR1219 - L15	15" Laptop Size Electronic Safe	225 x 400 x 435 mm	14 kg
DR1219 - L17	17" Laptop Size Electronic Safe	225 x 400 x 470 mm	16 kg

DR1220



Model	Features	Outer Dimensions	Weight
DR1220	Standard Size Electronic Safe	225 x 360 x 250 mm	10 kg
DR1220 - L15	15" Laptop Size Electronic Safe	225 x 400 x 435 mm	14 kg
DR1220 - L17	17" Laptop Size Electronic Safe	225 x 400 x 470 mm	16 kg

DR1225



Model	Features	Outer Dimensions	Weight
DR1225	Standard Size Electronic Safe	130 x 400 x 350 mm	12 kg
DR1225-L15	15" Laptop Size Electronic Safe	130 x 425 x 380 mm	13 kg

MS-L15-D



	LED INTERIOR LIGHTNING	INTERIOR CARPETING	
Model	Features	Outer Dimensions	Weight
MS Standart	Standard Size Electronic Safe	350 x 250 x 250 mm	7.4 kg
MS-L15-D	15" Laptop Size Electronic Safe	400 x 430 x 225 mm	10.2 kg

MR-L15-D



	LED INTERIOR LIGHTNING	INTERIOR CARPETING	
Model	Features	Outer Dimensions	Weight
MR Standart	Standard Size Electronic Safe	350 x 250 x 250 mm	7.4 kg
MR-L15-D	15" Laptop Size Electronic Safe	400 x 430 x 225 mm	10.2 kg

FEATURES

Can be installed into a drawer with a damper kit.
Able to work with 3-6 digit user code.
Possibility of opening the safe 6 digits master code.
When the batteries run out, it is possible to open the safe with emergency unit (CEU) or with mechanical passkey from the outside.
15 min. self-blocking after 4 wrong operation. (Fine mode can be disabled.)
Fine mode can be adjusted as 15, 30, 45 and 60 minutes.
Low battery consumption with servo motor.
Works with 4 x 1,5V alkaline battery.
Possibility of hiring out the safe with a magnetic switch (Optional).
The last 100 operation can be printed out only in 1220 models (process, time, date, password).
Optional plug and cable connection inside the safe. (Especially for laptop size safes)
Motion-sensor lightning system is available inside the safe. (Only for MS models.)
Electrostatic power paint with different color options.

KETTLES & KETTLE TRAYS

Hotel kettle and kettle trays provide your customers with a stylish look and home comfort in the hotel room.

1 It Kettle Stainless Steel	304 quality steel body
	1 It water capacity
	Hidden resistor
	Wireless use
	One button control system
	High heat safety
	Fast boiling properties
1.2 It Kettle Stainless Steel	304 quality steel body
	1.2lt water capacity
	Hidden resistor
	Wireless use
	One button control system
	High heat safety
	Fast boiling properties
1.2 It Kettle Stainless Steel	304 quality steel body
	1.2lt water capacity
	Hidden resistor
	Wireless use
	One button control system
Million Comments of the Commen	,
	High heat safety
Millimin Millimin and State of the State of	
1.2 It Kettle Stainless Steel	High heat safety
	High heat safety Fast boiling properties
	High heat safety Fast boiling properties 304 quality steel body
	High heat safety Fast boiling properties 304 quality steel body 1.2lt water capacity
	High heat safety Fast boiling properties 304 quality steel body 1.2lt water capacity Hidden resistor
	High heat safety Fast boiling properties 304 quality steel body 1.2lt water capacity Hidden resistor Wireless use

Wooden Tray — Light Walnut	Wooden Tray — Dark Walnut
350 x 200 x 30.0 mm	350 x 200 x 30.0 mm
Wooden Tray — Light Walnut	Wooden Tray — Dark Walnut
430 x 230 x 18.0 mm	430 x 230 x 18.0 mm
Wooden Tray — Light Walnut	Wooden Tray — Dark Walnut
500 x 300 x 30.0 mm	500 x 300 x 30.0 mm

Wooden Tray — Light Walnut	Wooden Tray — Dark Walnut
430 x 230 x 25.0 mm	430 x 230 x 25.0 mm
Wooden Tray — Light Walnut	Wooden Tray — Dark Walnut
500 x 200 x 30.0 mm	500 x 200 x 30.0 mm
Wooden Tray — Light Walnut	ABS Tray 1
500 x 200 x 30.0 mm	430 x 22.5 x 30.0 mm
ABS Tray 2	ABS Tray 3
333 x 384 x 42.0 mm	350 x 380 x 77.0 mm

HAIR DRYERS

With hair dryers, which are important indicators of the service quality and prestige of your business, you can increase the number of happy customers and leave your competitors behind as a company that has thought about the smallest details.

OTELLO PRO		0	OTELLO PRO	
Hotel Hair Dryer			Hotel Hair Dryer	
dep)			WHAT HAVE THE REAL PROPERTY OF THE PARTY OF	
Weight	582 g	Weight	582 g	
Power	1600W	Power	2000 W	
Sound Level	68 dB	Sound Level	68 dB	
Temperature	3 Stage	Temperature	3 Stage	
OTELLO PRO SPIRAL		OTELL	OTELLO PRO SPIRAL	
Hotel Hair Dryer		Нс	Hotel Hair Dryer	
THE OPRO.		THE REAL PROPERTY OF THE PARTY	TO OTHER PRO.	
Weight	582 g	Weight	582 g	
Power	1600 - 2000 W	Power	1600 - 2000W	
Sound Level	68 dB	Sound Level	68 dB	

Temperature

3 Stage

Temperature

3 Stage

PLATINUM SPIRAL		PLATINUM PURE		
Hotel Hair Dryer		Hotel Hair Dryer		
Ctap Parties and Ctap P				
Weight	311 g	Weight	311 g	
Power	1350 W	Power	1350 W	
Sound Level	64 dB	Sound Level	64 dB	
Speed	2 Stage	Speed	2 Stage	
PLATINI	PLATINUM FLAT		PLATINUM FLAT ENERGY	
Hotel	Hair Dryer	Hotel Hair Dryer with Shaving Socket		
	•			
	etap Million		THE THE PARTY OF T	
	Ctop Thinks			
	COP TO SERVICE OF THE PARTY OF			
Weight	311 g	Weight	311 g	

PLATINUM COMPACT		PLATINUM	PLATINUM COMPACT ENERGY	
Hotel Hair Dryer		Hotel Hair [Hotel Hair Dryer with Shaving Socket	
Weight	311 g	Weight	311 g	
Power	1350 W	Power	1350 W	
Sound Level	64 dB	Sound Level	64 dB	
Speed	2 Stage	Speed	2 Stage	
CON	ICEPT SPIRAL	CON	ICEPT PURE	
ŀ	Hotel Hair Dryer	Hote	el Hair Dryer	
Concept Concept		ntti		
Weight	278 g	Weight	278 g	
Power	1350 W	Power	1350 W	
Sound Level	64 dB	Sound Level	64 dB	

Speed

1 Stage

Speed

1 Stage

CONCEPT FLAT		CONCE	CONCEPT FLAT ENERGY	
Hotel Hair Dryer			Hotel Hair Dryer	
(arter)			(anter)	
Weight	278 g	Weight	278 g	
Power	1350 W	Power	1350 W	
Sound Level	64 dB	Sound Level	64 dB	
Speed	1 Stage	Speed	1 Stage	
CONCE	CONCEPT COMPACT		CONCEPT COMPACT ENERGY	
Н	Hotel Hair Dryer		Hotel Hair Dryer	
Weight	278 g	Weight	278 g	
Power	1350 W	Power	1350 W	
Sound Level	64 dB	Sound Level	64 dB	
Speed	1 Stage	Speed	1 Stage	

ASOS		A	ASOS SPIRAL	
Hotel Hair Dryer			Hotel Hair Dryer	
		Managaran	ctap Asos	
Weight	261 g	Weight	261 g	
Power	1350 W	Power	1350 W	
Sound Level	64 dB	Sound Level	64 dB	
Speed	2 Stage	Speed	2 Stage	
OTELLO		ОТЕ	OTELLO SPIRAL	
Hotel Hair Dryer			Hotel Hair Dryer	
1111	mmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmm	Weight	etap Otello	
Weight	244 g	Weight	244 g	
Power	1350 W	Power	1350 W	
	C4 -ID	Sound Level	64 dB	
Sound Level	64 dB	Sound Level	04 dB	

WINE COOLERS

Designed with special technologies for cooling purpose, offer a perfect storage area for wines that are especially desired to be aged, as well as those produced for daily consumption.

WINE CUBE F WINE CUBE S Wine Cooler Wine Cooler Without Digital Display With Digital Display LED INTERIOR LIGHTNING LED INTERIOR LIGHTNING CLIMATIZED CLIMATIZED ENVIRONMENT QUIET AND QUIET AND ENVIRONMENT NON-VIBRATING NON-VIBRATING 575 x 590 x 470 mm 575 x 590 x 430 mm Dimensions (W x D x H) Dimensions (W x D x H) 25 kg Weight Weight 27 kg 18 Bottles 18 Bottles Capacity Capacity 220 - 240 V 220 - 240 V Voltage Voltage **Power** 80 W **Power** 80 W **Energy Consumption** 1.5 kWh / 24h 1.5 kWh / 24h **Energy Consumption** Refrigerant Refrigerant NH3 NH3 **Noise Level** 0 dB **Noise Level** 0 dB Type of Cooling Absorption Type of Cooling Absorption

^{*}Please see the installation details on the page of 15.

^{*}Climatized environment is recommended.

LEATHER **EQUIPMENTS**

Long-lasting and durable products: designed for use in hotel rooms, lounges and offices. Find out equipments from tissue holder boxes, garbage bins to service trays.







FLOOR EQUIPMENTS

Long-lasting and durable products: designed for use in hotel rooms, lounges and offices. Find out equipments from floor trolleys, cleaning stuffs to vacuum cleaners.

FANTOM PROCART FLOOR TROLLEY FANTOM PROCART SERVICE TROLLEY FANTOM PROCART SERVICE TROLLEY 230 FANTOM HOUSE KEEPING TROLLEY 1 BAG FANTOM HOUSEKEEPING TROLLEY 2 BAGS FANTOM PROCART SERVICE TROLLEY









™ Elektromarla

Factory Building

Muratpaşa Mah. Siteler Cd. No: 6/8A Bayrampaşa / Istanbul P: +90 (212) 545 79 80 - Whatsapp Support: +90 (544) 870 25 01

Showroom

General Ali Rıza Gürcan Cd. Alparslan İş Merkezi No: 27 / C Merter / Istanbul P: +90 (212) 545 79 81 - Whatsapp Support: +90 (544) 870 25 01

www.elektromarla.com | info@elektromarla.com











