



Elektromarlar

Turkey's Leading Minibar Manufacturer since 1954

*Pleased and proud to have become
a world brand with our **customer satisfaction,**
innovative design & high quality
production as Elektromarla.*

Pioneer in the industry

Since 1954, Elektromarla has been the first “minibar factory” and the first company that imported and exported minibars in Turkey. Elektromarla has been a pioneer in the industry since its foundation and specialized in the field of absorption system for 70 years which is the solution partner for hotels, hospitals, yachts, and caravans.

Product variety & quality

Elektromarla, which has been carved in memory with its product variety and quality in the hotel equipments sector, always works with customer satisfaction oriented focus during its production. Elektromarla, which is preferred by the hotels and hospitals of the highest quality in the sector, develops itself on an international vision by minibar design and production.

Index

4 ABOUT US

7 REFERENCES

8 MINIBARS

24 HOTEL SAFES

28 KETTLE &
KETTLE TRAYS

32 HAIR DRYERS

38 WINE COOLERS

40 HOTEL LEATHER
EQUIPMENTS

44 FLOOR
EQUIPMENTS

*With being **the first minibar manufacturer** in Turkey, Elektromarla has determined its policy to maintain its leading position in the sector and to provide customer satisfaction-oriented service.*

Our Highlights



Customer Focus

Prioritize providing valuable services to our customers.



Eco-friendly Products

Reduce the electricity consumption.



High-quality

Proof of our 70 years of experience.



Local Production

Based and Manufactured in Istanbul, Turkey.



SOHO HOUSE



JW MARRIOTT



THE MARMARA
HOTELS & RESIDENCES

RIXOS
HOTELS



Radisson SAS
HOTELS & RESORTS

GLORIA
HOTELS & RESORTS

divan



INTERCONTINENTAL
HOTELS & RESORTS



POLAT
RENAISSANCE ISTANBUL HOTEL
HOTELS & RESORTS

Mercure
HOTELS

MÖVENPICK



GOLDEN TULIP
HOTELS - INNS - RESORTS

Limak



Sheraton
HOTELS & RESORTS



Hilton

CROWNE PLAZA
HOTELS & RESORTS

THE HOUSE HOTEL

STEIGENBERGER
HOTEL

HYATT



Clarion
Hotel



Holiday Inn

MEDICAL PARK



AMERIKAN
HASTANESI



MEDIPOL
©ZEL ISTANBUL MEDIPOL HASTANESI



ABSORPTION **MINIBAR**

Elektromarla Absorption System Minibars do not disturb your hotel guests through unpleasant sounds. It is maintenance free due to its advanced engineering technology.

DR 35 S

35 Liter Solid Door Hotel Minibar



-  ADJUSTABLE SHELVES
-  COMPLETELY SILENT
-  LED INTERIOR LIGHTNING (OPTIONAL)

DRC 35 S

35 Liter Glass Door Hotel Minibar



-  ADJUSTABLE SHELVES
-  COMPLETELY SILENT
-  LED INTERIOR LIGHTNING (OPTIONAL)

Dimensions (W x D x H)	38.5 x 43 x 53.5 cm	Dimensions (W x D x H)	38.5 x 44 x 53.5 cm
Weight	12.6 kg	Weight	14.6 kg
Capacity	35 liters	Capacity	35 liters
Voltage	220 - 240 V	Voltage	220 - 240 V
Power	65 W	Power	65 W
Energy Consumption	0.90 kWh / 24h	Energy Consumption	0.90 kWh / 24h
Refrigerant Gas	NH3	Refrigerant Gas	NH3
Noise Level	0 dB	Noise Level	0 dB
Type of Cooling	Absorption	Type of Cooling	Absorption
Container Loading Capacity 20' / 40' without Pallets	108 / 390	Container Loading Capacity 20' / 40' without Pallets	108 / 390

DR 40 S

40 Liter Solid Door Hotel Minibar



ADJUSTABLE
SHELVES



COMPLETELY SILENT



LED INTERIOR
LIGHTNING (OPTIONAL)

DRC 40 S

40 Liter Glass Door Hotel Minibar



ADJUSTABLE
SHELVES



COMPLETELY SILENT



LED INTERIOR
LIGHTNING (OPTIONAL)

Dimensions (W x D x H)	40.5 x 42 x 52.5 cm	Dimensions (W x D x H)	40.5 x 43.5 x 52.5 cm
Weight	12.2 kg	Weight	15.2 kg
Capacity	40 liters	Capacity	40 liters
Voltage	220 - 240 V	Voltage	220 - 240 V
Power	65 W	Power	65 W
Energy Consumption	0.90 kWh / 24h	Energy Consumption	0.90 kWh / 24h
Refrigerant Gas	NH3	Refrigerant Gas	NH3
Noise Level	0 dB	Noise Level	0 dB
Type of Cooling	Absorption	Type of Cooling	Absorption
Container Loading Capacity 20' / 40' without Pallets	240 / 500	Container Loading Capacity 20' / 40' without Pallets	240 / 500

DR 45 S

45 Liter Solid Door Hotel Minibar



-  ADJUSTABLE SHELVES
-  COMPLETELY SILENT
-  LED INTERIOR LIGHTNING (OPTIONAL)

DRC 45 S

45 Liter Glass Door Hotel Minibar



-  ADJUSTABLE SHELVES
-  COMPLETELY SILENT
-  LED INTERIOR LIGHTNING (OPTIONAL)

Dimensions (W x D x H)	40.5 x 47.5 x 57 cm	Dimensions (W x D x H)	40.5 x 48.5 x 57 cm
Weight	13.4 kg	Weight	15.8 kg
Capacity	45 liters	Capacity	45 liters
Voltage	220 - 240 V	Voltage	220 - 240 V
Power	65 W	Power	65 W
Energy Consumption	1.00 kWh / 24h	Energy Consumption	1.00 kWh / 24h
Refrigerant Gas	NH3	Refrigerant Gas	NH3
Noise Level	0 dB	Noise Level	0 dB
Type of Cooling	Absorption	Type of Cooling	Absorption
Container Loading Capacity 20' / 40' without Pallets	162 / 330	Container Loading Capacity 20' / 40' without Pallets	162 / 330

ABSORPTION
MINIBAR

All Black Edition

DRC 35 S ALL BLACK EDITION

35 Liter Glass Door Hotel Minibar	Dimensions (W x D x H)	38.5 x 44 x 53.5 cm
 ADJUSTABLE SHELVES  COMPLETELY SILENT  LED INTERIOR LIGHTNING	Weight	14.6 kg
 	Capacity	35 liters
	Voltage	220 - 240 V
	Power	65 W
	Energy Consumption	0.90 kWh / 24h
	Refrigerant Gas	NH3
	Noise Level	0 dB
	Type of Cooling	Absorption
	Container Loading Capacity 20' / 40' without Pallets	108 / 390


DRC 45 S ALL BLACK EDITION

45 Liter Glass Door Hotel Minibar	Dimensions (W x D x H)	40.5 x 48.5 x 57 cm
 ADJUSTABLE SHELVES  COMPLETELY SILENT  LED INTERIOR LIGHTNING	Weight	15.8 kg
 	Capacity	45 liters
	Voltage	220 - 240 V
	Power	65 W
	Energy Consumption	1.0 kWh / 24h
	Refrigerant Gas	NH3
	Noise Level	0 dB
	Type of Cooling	Absorption
	Container Loading Capacity 20' / 40' without Pallets	162 / 390




Perfect **INSTALLATION**

All miniBar - miniRefrigerators can be integrated into suitable furniture. But it is important to provide appropriate ventilation. The air intake and exhaust openings must be at least 300 cm² each. It is essential to make sure that the ventilation screen cannot be closed or covered.

IMPORTANT: Absorption system miniBars do not function optimally if the room temperature is over 32°C. The ideal room temperature should be between 20°C - 25°C. Climatized environment is recommended.



Correct Installations



INVERTER MINIBAR

Since it is an inverter compressor, **it reduces the minibar electricity costs by 90%**. Inverter Compressor Minibars work with 26-29 dB sound level (which is a very low level of noise) and provide much better cooling in hot outdoor environments compared to Absorption System Minibars.

A+++ *The World's Least Electricity Consuming Minibar*

INV-M40

40 Liter Solid Door Inverter Minibar



INV-MC40

40 Liter Glass Door Inverter Minibar



Dimensions (W x D x H)	40.5 x 43.5 x 52.5 cm	Dimensions (W x D x H)	40.5 x 44.5 x 52.5 cm
Weight	14.3 kg	Weight	17.4 kg
Capacity	40 liters	Capacity	40 liters
Voltage	220 - 240 V	Voltage	220 - 240 V
Power	65 W	Power	65 W
Energy Consumption	0.15 kWh / 24h (A+++)	Energy Consumption	0.20 kWh / 24h (A+++)
Refrigerant	R600	Refrigerant Gas	R600
Noise Level	26-29 dB	Noise Level	26-29 dB
Type of Cooling	Inverter Compressor	Type of Cooling	Inverter Compressor
Container Loading Capacity 20' / 40' without Pallets	165 / 360	Container Loading Capacity 20' / 40' without Pallets	165 / 360

INV-M45

45 Liter Solid Door Inverter Minibar



-  LED INTERIOR LIGHTNING
-  ECO FRIENDLY
-  ADJUSTABLE SHELVES

INV-MC45

45 Liter Glass Door Inverter Minibar



-  LED INTERIOR LIGHTNING
-  ECO FRIENDLY
-  ADJUSTABLE SHELVES

Dimensions (W x D x H)	40.5 x 48.5 x 57 cm	Dimensions (W x D x H)	40.5 x 49.5 x 57 cm
Weight	16 kg	Weight	18.5 kg
Capacity	45 liters	Capacity	45 liters
Voltage	220 - 240 V	Voltage	220 - 240 V
Power	65 W	Power	65 W
Energy Consumption	0.15 kWh / 24h (A+++)	Energy Consumption	0.20 kWh / 24h (A+++)
Refrigerant	R600	Refrigerant Gas	R600
Noise Level	26-29 dB	Noise Level	26-29 dB
Type of Cooling	Inverter Compressor	Type of Cooling	Inverter Compressor
Container Loading Capacity 20' / 40' without Pallets	162 / 330	Container Loading Capacity 20' / 40' without Pallets	162 / 330

INVERTER MINIBAR

All Black Edition

INV-MC40 ALL BLACK EDITION

40 Liter Glass Door Hotel Minibar	Dimensions (W x D x H)	40.5 x 44.5 x 52.5 cm
 ADJUSTABLE SHELVES  ECO-FRIENDLY  LED INTERIOR LIGHTNING	Weight	17.4 kg
 	Capacity	40 liters
	Voltage	220 - 240 V
	Power	65 W
	Energy Consumption	0.13 kWh / 24h (A+++)
	Refrigerant Gas	R600
	Noise Level	26-29 dB
	Type of Cooling	Inverter Compressor
	Container Loading Capacity 20' / 40' without Pallets	165 / 360

INV-MC45 ALL BLACK EDITION

45 Liter Glass Door Hotel Minibar	Dimensions (W x D x H)	40.5 x 49.5 x 57 cm
 ADJUSTABLE SHELVES  ECO-FRIENDLY  LED INTERIOR LIGHTNING	Weight	18.5 kg
 	Capacity	45 liters
	Voltage	220 - 240 V
	Power	65 W
	Energy Consumption	0.13 kWh / 24h (A+++)
	Refrigerant Gas	R600
	Noise Level	26 - 29 dB
	Type of Cooling	Inverter Compressor
	Container Loading Capacity 20' / 40' without Pallets	162 / 330

THERMOELECTRIC **PELTIER MINIBAR**

Thermoelectric Peltier Minibar provides **completely silent cooling (0 dB) without any vibrations and any noise**. On the other hand, Peltier model minibars are significant in terms of **saving 70% less energy** when compared to Absorption System Minibars.

PEL 40 S

40 Liter Solid Door Peltier System Minibar



-  ADJUSTABLE SHELVES
-  COMPLETELY SILENT
-  ECO FRIENDLY
-  LED INTERIOR LIGHTNING (OPTIONAL)

PEL 40 CS

40 Liter Glass Door Peltier System Minibar



-  ADJUSTABLE SHELVES
-  COMPLETELY SILENT
-  ECO FRIENDLY
-  LED INTERIOR LIGHTNING (OPTIONAL)

Dimensions (W x D x H)	40.5 x 43 x 52.5 cm	Dimensions (W x D x H)	40.5 x 44.5 x 52.5 cm
Weight	15 kg	Weight	15 kg
Capacity	40 liters	Capacity	40 liters
Voltage	12 V	Voltage	12 V
Power	60 W	Power	60 W
Energy Consumption	0.275 kWh / 24h	Energy Consumption	0.375 kWh / 24h
Refrigerant	R600	Refrigerant Gas	R600
Noise Level	0 dB	Noise Level	0 dB
Type of Cooling	Peltier	Type of Cooling	Peltier
Container Loading Capacity 20' / 40' without Pallets	165 / 360	Container Loading Capacity 20' / 40' without Pallets	165 / 360

PEL 45 S

45 Liter Solid Door Peltier System Minibar



-  ADJUSTABLE SHELVES
-  COMPLETELY SILENT
-  ECO FRIENDLY
-  LED INTERIOR LIGHTNING (OPTIONAL)

PEL 45 CS

45 Liter Glass Door Peltier System Minibar



-  ADJUSTABLE SHELVES
-  COMPLETELY SILENT
-  ECO FRIENDLY
-  LED INTERIOR LIGHTNING (OPTIONAL)

Dimensions (W x D x H)	40.5 x 48.5 x 57 cm	Dimensions (W x D x H)	40.5 x 48.5 x 57 cm
Weight	16 kg	Weight	16 kg
Capacity	45 liters	Capacity	45 liters
Voltage	12 V	Voltage	12 V
Power	60 W	Power	60 W
Energy Consumption	0.295 kWh / 24h	Energy Consumption	0.395 kWh / 24h
Refrigerant	R600	Refrigerant Gas	R600
Noise Level	0 dB	Noise Level	0 dB
Type of Cooling	Peltier	Type of Cooling	Peltier
Container Loading Capacity 20' / 40' without Pallets	162 / 330	Container Loading Capacity 20' / 40' without Pallets	162 / 330

Absorption System

Absorption Minibars are noiseless and vibrationless minibars which is the biggest reason that they are preferred by the hotels and hospitals. In this system, there is no mechanical equipment is used so it is completely silent and vibration free. Absorption System Minibars can cool between +4 to +14 degrees at ambient temperatures of +16 to +32 degrees. The cooling performance is calculated with DELTA-T constant value.

Inverter System

The Inverter Compressor System Minibars works with a BLDC motor and it has an algorithm that detects the need for cooling. The biggest advantage of this system is its very low electricity consumption. This system has A+++ energy label. Inverter System Minibars provide 90% less electricity consumption than Absorption System Minibars. The compressor makes 26 dB noise during start-stops, which is a very low level of noise and accepted by hotels.

Termoelectric Peltier System

Thermoelectric Peltier Minibar provides completely silent cooling (0 dB) without any vibrations since they do not have any compressors nor fans. They are also remarkable in terms of saving 70% less energy with their high technical performance when compared to Absorption System Minibars.

HOTEL **SAFES**

Hotel safes provide best protection against the threat of unforeseeable burglary attack. They are built to accommodate the most commonly stored items with ease, such as laptops, hard drives & jewellery.

DR1219



Model	Features	Outer Dimensions	Weight
DR1219M	Mini Size Electronic Safe	200 x 310 x 200 mm	7 kg
DR1219	Standard Size Electronic Safe	225 x 360 x 250 mm	10 kg
DR1219 - L15	15" Laptop Size Electronic Safe	225 x 400 x 435 mm	14 kg
DR1219 - L17	17" Laptop Size Electronic Safe	225 x 400 x 470 mm	16 kg

DR1220



Model	Features	Outer Dimensions	Weight
DR1220	Standard Size Electronic Safe	225 x 360 x 250 mm	10 kg
DR1220 - L15	15" Laptop Size Electronic Safe	225 x 400 x 435 mm	14 kg
DR1220 - L17	17" Laptop Size Electronic Safe	225 x 400 x 470 mm	16 kg

DR1225



Model	Features	Outer Dimensions	Weight
DR1225	Standard Size Electronic Safe	130 x 400 x 350 mm	12 kg
DR1225-L15	15" Laptop Size Electronic Safe	130 x 425 x 380 mm	13 kg

MS-L15-D



LED INTERIOR LIGHTNING



INTERIOR CARPETING

Model	Features	Outer Dimensions	Weight
MS Standart	Standard Size Electronic Safe	350 x 250 x 250 mm	7.4 kg
MS-L15-D	15" Laptop Size Electronic Safe	400 x 430 x 225 mm	10.2 kg

MR-L15-D



LED INTERIOR LIGHTNING



INTERIOR CARPETING

Model	Features	Outer Dimensions	Weight
MR Standart	Standard Size Electronic Safe	350 x 250 x 250 mm	7.4 kg
MR-L15-D	15" Laptop Size Electronic Safe	400 x 430 x 225 mm	10.2 kg

FEATURES

Can be installed into a drawer with a damper kit.

Able to work with 3-6 digit user code.

Possibility of opening the safe 6 digits master code.

When the batteries run out, it is possible to open the safe with emergency unit (CEU) or with mechanical passkey from the outside.

15 min. self-blocking after 4 wrong operation. (Fine mode can be disabled.)

Fine mode can be adjusted as 15, 30, 45 and 60 minutes.

Low battery consumption with servo motor.

Works with 4 x 1,5V alkaline battery.

Possibility of hiring out the safe with a magnetic switch (Optional).

The last 100 operation can be printed out only in 1220 models (process, time, date, password).





Optional plug and cable connection inside the safe. (Especially for laptop size safes)

Motion-sensor lightning system is available inside the safe. (Only for MS models.)

Electrostatic power paint with different color options.

KETTLES & **KETTLE TRAYS**

Hotel kettle and kettle trays provide your customers with a stylish look and home comfort in the hotel room.

1 It Kettle Stainless Steel	304 quality steel body
	1 lt water capacity
	Hidden resistor
	Wireless use
	One button control system
	High heat safety
	Fast boiling properties
1.2 It Kettle Stainless Steel	304 quality steel body
	1.2lt water capacity
	Hidden resistor
	Wireless use
	One button control system
	High heat safety
	Fast boiling properties
1.2 It Kettle Stainless Steel	304 quality steel body
	1.2lt water capacity
	Hidden resistor
	Wireless use
	One button control system
	High heat safety
	Fast boiling properties
1.2 It Kettle Stainless Steel	304 quality steel body
	1.2lt water capacity
	Hidden resistor
	Wireless use
	One button control system
	High heat safety
	Fast boiling properties



Wooden Tray — Light Walnut

350 x 200 x 300 mm



Wooden Tray — Dark Walnut

350 x 200 x 300 mm



Wooden Tray — Light Walnut

430 x 230 x 180 mm



Wooden Tray — Dark Walnut

430 x 230 x 180 mm



Wooden Tray — Light Walnut

500 x 300 x 300 mm



Wooden Tray — Dark Walnut

500 x 300 x 300 mm



Wooden Tray — Light Walnut

430 x 230 x 250 mm



Wooden Tray — Dark Walnut

430 x 230 x 250 mm



Wooden Tray — Light Walnut

500 x 200 x 300 mm



Wooden Tray — Dark Walnut

500 x 200 x 300 mm



Wooden Tray — Light Walnut

500 x 200 x 300 mm



Wooden Tray — Black

430 x 225 x 300 mm



ABS Tray 1

333 x 384 x 420 mm



ABS Tray 2

350 x 380 x 770 mm

HAIR **DRYERS**

With hair dryers, which are important indicators of the service quality and prestige of your business, you can increase the number of happy customers and leave your competitors behind as a company that has thought about the smallest details.

OTELLO PRO

Hotel Hair Dryer



Weight	582 g
Power	1600W
Sound Level	68 dB
Temperature	3 Stage

OTELLO PRO

Hotel Hair Dryer



Weight	582 g
Power	2000 W
Sound Level	68 dB
Temperature	3 Stage

OTELLO PRO SPIRAL

Hotel Hair Dryer



Weight	582 g
Power	1600 - 2000 W
Sound Level	68 dB
Temperature	3 Stage

OTELLO PRO SPIRAL

Hotel Hair Dryer



Weight	582 g
Power	1600 - 2000W
Sound Level	68 dB
Temperature	3 Stage

PLATINUM SPIRAL

Hotel Hair Dryer



Weight	311 g
Power	1350 W
Sound Level	64 dB
Speed	2 Stage

PLATINUM PURE

Hotel Hair Dryer



Weight	311 g
Power	1350 W
Sound Level	64 dB
Speed	2 Stage

PLATINUM FLAT

Hotel Hair Dryer



Weight	311 g
Power	1350 W
Sound Level	64 dB
Speed	2 Stage

PLATINUM FLAT ENERGY

Hotel Hair Dryer with Shaving Socket



Weight	311 g
Power	1350 W
Sound Level	64 dB
Speed	2 Stage

PLATINUM COMPACT

Hotel Hair Dryer



Weight	311 g
Power	1350 W
Sound Level	64 dB
Speed	2 Stage

PLATINUM COMPACT ENERGY

Hotel Hair Dryer with Shaving Socket



Weight	311 g
Power	1350 W
Sound Level	64 dB
Speed	2 Stage

CONCEPT SPIRAL

Hotel Hair Dryer



Weight	278 g
Power	1350 W
Sound Level	64 dB
Speed	1 Stage

CONCEPT PURE

Hotel Hair Dryer



Weight	278 g
Power	1350 W
Sound Level	64 dB
Speed	1 Stage

CONCEPT FLAT

Hotel Hair Dryer



CONCEPT FLAT ENERGY

Hotel Hair Dryer



Weight	278 g
Power	1350 W
Sound Level	64 dB
Speed	1 Stage

Weight	278 g
Power	1350 W
Sound Level	64 dB
Speed	1 Stage

CONCEPT COMPACT

Hotel Hair Dryer



CONCEPT COMPACT ENERGY

Hotel Hair Dryer



Weight	278 g
Power	1350 W
Sound Level	64 dB
Speed	1 Stage

Weight	278 g
Power	1350 W
Sound Level	64 dB
Speed	1 Stage

ASOS

Hotel Hair Dryer



Weight	261 g
Power	1350 W
Sound Level	64 dB
Speed	2 Stage

ASOS SPIRAL

Hotel Hair Dryer



Weight	261 g
Power	1350 W
Sound Level	64 dB
Speed	2 Stage

OTELLO

Hotel Hair Dryer



Weight	244 g
Power	1350 W
Sound Level	64 dB
Speed	1 Stage

OTELLO SPIRAL

Hotel Hair Dryer



Weight	244 g
Power	1350 W
Sound Level	64 dB
Speed	1 Stage

WINE COOLERS

Designed with special technologies for cooling purpose, offer a perfect storage area for wines that are especially desired to be aged, as well as those produced for daily consumption.

WINE CUBE F

Wine Cooler



Without Digital Display



LED INTERIOR LIGHTNING



CLIMATIZED ENVIRONMENT



QUIET AND NON-VIBRATING

WINE CUBE S

Wine Cooler



With Digital Display



LED INTERIOR LIGHTNING



CLIMATIZED ENVIRONMENT



QUIET AND NON-VIBRATING

Dimensions (W x D x H)	575 x 590 x 430 mm	Dimensions (W x D x H)	575 x 590 x 470 mm
Weight	25 kg	Weight	27 kg
Capacity	18 Bottles	Capacity	18 Bottles
Voltage	220 - 240 V	Voltage	220 - 240 V
Power	80 W	Power	80 W
Energy Consumption	1.5 kWh / 24h	Energy Consumption	1.5 kWh / 24h
Refrigerant	NH3	Refrigerant	NH3
Noise Level	0 dB	Noise Level	0 dB
Type of Cooling	Absorption	Type of Cooling	Absorption

*Please see the installation details on the page of 15.

*Climatized environment is recommended.

LEATHER **EQUIPMENTS**

Long-lasting and durable products: designed for use in hotel rooms, lounges and offices. Find out equipments from tissue holder boxes, garbage bins to service trays.

BEVERAGE COASTER



NOTE HOLDER



SNACK BASKET



TEA & COFFEE BOX



CUBE TISSUE HOLDER



TISSUE HOLDER



GARBAGE BIN



SET-UP BOARD



GARBAGE BASKET WITH BRACKETS



GARBAGE BASKET



REMOTE HOLDER CASE



RECEPTION DESK PAD



SET-UP BOARD



LAUNDRY BOARD



FLOOR EQUIPMENTS

Long-lasting and durable products: designed for use in hotel rooms, lounges and offices. Find out equipments from floor trolleys, cleaning stuffs to vacuum cleaners.

FANTOM PROCART FLOOR TROLLEY



FANTOM PROCART SERVICE TROLLEY



FANTOM PROCART SERVICE TROLLEY 230



FANTOM HOUSE KEEPING TROLLEY 1 BAG



FANTOM HOUSEKEEPING TROLLEY 2 BAGS



FANTOM PROCART SERVICE TROLLEY



FANTOM PROCART CLEANING TROLLEY



FANTOM PROCART SERVICE TROLLEY



FANTOM PROCART CLEANING TROLLEY



FANTOM LAUNDRY TROLLEY



FANTOM GARBAGE BIN 20



FANTOM GARBAGE BIN 30



FANTOM PRO MINI 100M VACUUM CLEANER



FANTOM PRO MINI 100P VACUUM CLEANER



FANTOM PRO MIDI 250M VACUUM CLEANER



FANTOM PROMAX 800M3



Notes

A series of horizontal dotted lines spanning the width of the page, intended for writing notes. The lines are evenly spaced and cover most of the page area below the title.



Elektromarla

Factory Building

Muratpaşa Mah. Siteler Cd. No: 6/8A Bayrampaşa / İstanbul
P: +90 (212) 545 79 80 - Whatsapp Support: +90 (544) 870 25 01

Showroom

General Ali Rıza Gürcan Cd. Alparslan İş Merkezi No: 27 / C Merter / İstanbul
P: +90 (212) 545 79 81 - Whatsapp Support: +90 (544) 870 25 01

www.elektromarla.com | info@elektromarla.com



TUSİAD

